




Sealing Fittings



Features-Specifications

Features

EY Series

- Large opening for easy packing of fiber dam and pouring of compound
- Integral bushings in conduit hubs to protect conductor insulation from damage
- NPT tapped hubs to ensure ground continuity
- Design provides minimum turning radius
- 25% conductor fill
- EY-T style supplied with removeable close nipples

EYD Series

- Threaded for Rigid Conduit or IMC
- Tapered threads (NPT)
- Simple to install. Internal drainage path provides a visual means to ensure that the compound chamber is properly filled. No need to use hoses and wires. (only on the 1/2", 3/4" & 1" trade sizes)

- Temporary plastic sleeve protects thread for drain/breather from contamination when pouring compound
- Unique design enables installation of drain/breather right after compound is poured - no waiting. (only on the 1/2", 3/4" & 1" trade sizes)
- Provides continuous water drain path while allowing conduit run to breathe, in compliance with the NEC
- Includes Drain Breather Fitting KDB-1

ENY40/EYD40 series

- A 40% wire fill capacity
- Large openings with threaded closures to provide easy access to conduit hubs for making dams
- Integral bushing in conduit hubs to protect conductor insulation from damage
- NPT threaded hubs to ensure ground continuity
- Minimum turning radius

Material Finishes:

- Copper-free aluminum (less than 4/10 of 1%)
 - Electrostatically applied powder coating
- Duraloy Iron
 - Tri-Coat Finish of electrozinc, chromate sealant, and electrostatically applied powder coating



Sealing Fittings



ENY 1-6



ENY with Nipple



ENY 7-8




ENY with Nipple

ALUMINUM & IRON	
cULus (Canada & US) ENY-1,2,3,4,5 (KQS-SC) ENY-6 (SC Only) Class I, Div. 1&2, Groups A,B,C,D Class I, Zone 1, Groups IIC, IIB, IIA Class II, Diz. 1&2, Groups E,F,G Class III	
ALUMINUM (SC ONLY)	
cUL (Canada) ENY-7,8,0 Class I, Div. 1&2 B,C,D Class I, Zone 1, Groups IIB, IIA +H2 Class II, Diz. 1&2, Groups E,F,G Class III ENY-9 Class I, Div. 1&2 ,C,D Class I, Zone 1, Groups IIB, IIA Class II, Diz. 1&2, Groups E,F,G Class III	UL (US) ENY-7,8,9,0 Class I, Div. 1&2 ,C,D Class I, Zone 1, Groups IIB, IIA Class II, Diz. 1&2, Groups E,F,G Class III
IRON (SC ONLY)	
cUL (Canada) ENY-7,8,9,0 Class I, Div. 1&2, Groups A,B,C,D Class I, Zone 1, Groups IIC, IIB, IIA Class II, Diz. 1&2, Groups E,F,G Class III	UL (US) ENY-8,9,0 Class I, Div. 1&2 B,C,D Class I, Zone 1, Groups IIB, IIA +H2 Class II, Diz. 1&2, Groups E,F,G Class III ENY-7 Class I, Div. 1&2 ,C,D Class I, Zone 1, Groups IIB, IIA Class II, Diz. 1&2, Groups E,F,G Class III

ENY Series

Catalog Number		Hub Size	Dimensions		Turning Radius (With Cap Installed)	Turning Radius (Without Cap Installed)	SC Comp Fill Volume (Cu in)	SC Comp Fill Volume (Oz)
Killark Aluminum	Duraloy Iron		A	B				
ENY-1	ENY-1M	1/2"	4.06	1.44	1.13	1.13	0.90	1.5
ENY-2	ENY-2M	3/4"	4.19	1.63	1.28	1.28	1.30	2
ENY-3	ENY-3M	1"	5.00	1.88	1.34	1.34	2.30	3
ENY-4	ENY-4M	1-1/4"	5.38	2.25	1.81	1.81	4.90	6.5
ENY-5	ENY-5M	1-1/2"	5.69	2.44	1.94	1.94	6.30	8.5
ENY-6	ENY-6M	2"	6.38	2.88	2.34	2.34	12.27	15
ENY-7	ENY-7M	2-1/2"	8.00	3.34	3.09	2.63	26.50	29
ENY-8	ENY-8M	3"	8.53	4.13	3.56	3.03	47.40	53
ENY-9	ENY-9M	3-1/2"	9.21	4.63	3.91	3.53	69.70	77
ENY-0	ENY-0M	4"	9.78	5.13	4.13	3.78	97.90	110

Dimensions



ENY Series