

# Product datasheet

Specifications



## SpaceLogic SLA Series Humidity Sensor, Room, Temperature, Analog Outputs, Matte White Housing

SLASXX2

EAN Code: 3606481900562

### Main

Range	SpaceLogic
Product or component type	Humidity sensor
Product name	SpaceLogic Room Unit
Type of measurement	Humidity Temperature
Device application	HVAC Temperature control Fan speed controller
Product specific application	Humidity control
Product certifications	CE conforming to EN 61000-6-2 CE conforming to EN 61000-6-3 CE conforming to EN 61326-1 RCM EAC ICES-003 CULus
Display type	Without display
location	Living space
Mounting support	Wall-mount
Depth	24 mm
Height	85 mm
Width	115 mm
Network frequency	50 Hz 60 Hz
Ambient air temperature for operation	0...50 °C
Standards	UL 916 FCC part 15 class B
Colour	White
Sensor type	Transmitter Thin-film capacitive
[Us] rated supply voltage	24 V AC 20...30 V DC
Device presentation	Complete product
Surface finish	Matt

### Complementary

Communication network type	Wired
----------------------------	-------

<b>Material</b>	ABS (acrylonitrile butadiene-styrene)
<b>Function available</b>	With temperature sensor With humidity sensor
<b>Hysteresis</b>	1.5 %
<b>Connections - terminals</b>	Screw terminal - 2 cable(s) (AWG 24...AWG 18)
<b>Number of outputs</b>	1 fan 1 configurable
<b>Output type</b>	Analog
<b>Output voltage</b>	0...10 V for fan speed 0...5 V for configurable analog output 0...10 V for configurable analog output
<b>Range compatibility</b>	EcoStruxure Building Operation SmartX Room Purpose Controller programmable controllers

## Environment

<b>Humidity setting range</b>	0...100 %
<b>Temperature setting range</b>	10...35 °C 0...50 °C

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	14.2 cm
<b>Package 1 Width</b>	9.8 cm
<b>Package 1 Length</b>	5 cm
<b>Package 1 Weight</b>	180 g

## Contractual warranty

<b>Warranty (in months)</b>	18
-----------------------------	----

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Total lifecycle Carbon footprint 135

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic No

[EU RoHS Directive](#) Compliant with Exemptions

SCIP Number D7ce935c-f4cc-49d3-a53e-04142de5fa03

REACH Regulation [REACH Declaration](#)

## Use Again

### Repack and remanufacture

End of life manual availability [End of Life Information](#)

Take-back No

WEEE Label  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins